


# MAPLETON FIRE RESCUE



## BURN PERMITS

### WHAT

A burn permit is required prior to setting an open air fire larger than 1m (3ft).



Fires larger than 3 m (10 ft) in diameter and/or 2 m (6 ft) in height must be inspected before a burn permit can be issued.

The following items are prohibited to burn:

- paint
- solvents
- rubber
- wire (including coating)
- plastics
- asphalt
- shingles
- toxic chemicals
- any materials that violate the regulations of the Ministry of the Environment.

### WHERE

Fires must be 45 m (150 ft) from any building, structure, property line, hedge, fence, roadway, overhead wires or other combustible article.



Fires that cause discomfort, danger, irritation and/or nuisance for other residents are prohibited. This includes smoke entering a neighboring residence/building or across a highway.

### WHEN



#### Sunrise-Sunset

Fires can only be set and maintained after sunrise and must be extinguished before sunset.



#### Wind Speed

Fires cannot be set or maintained when the wind speed is over 10km/hr.



#### Burn Ban

Fires cannot be set or maintained during a declared burn ban.

### HOW

#### Means of Extinguishing

A suitable means of extinguishment, such as a hose, must be available while the fire is burning.



#### Maintain Supervision

A fire must be supervised and controlled by an individual over the age of 18, from the time it is set until the time it is completely extinguished.



@MapletonFireRes